

Workstation performance and reliability in a space saving small form factor.

DELL PRECISION TOWER 3000 SERIES (3420)





Powerful performance

The Dell Precision Tower 3000 Series has the power of a workstation at a price comparable to a PC. Fully customizable with your choice of 7th Generation Intel® Core™, 6th Gen Intel® Core™ or Intel® Xeon® E3-1200 v5 processors.



Innovative design

The Dell Precision 3420 SFF is the smallest workstation we have ever created. At 6%* smaller than it's predecessor, it delivers a smaller footprint with even more performance than ever.



Latest technology

Featuring choice of NVIDIA Quadro® or AMD FirePro™ professional graphics card, faster NECC and ECC DDR4 memory and optional Thunderbolt® 2 add-in card to provide you with the performance to make the most of your time.



Outstanding reliability

Precision Workstations are tested (Independent Software Vendor certified) to ensure the high-performance applications you rely on every day run smoothly. In addition, every Dell Precision comes with the exclusive Dell Precision Optimizer, which automatically tunes your Workstation to run some of the most popular (ISV) applications at the fastest speeds possible.

Features & Technical Specifications

Feature Precision Tower 3000 Series (3420) Technical Specifications

7th generation Intel® Core™ i7, i5, 6th generation Intel® Core™ i7, i5 and i3; Intel® Xeon® Processor E3-1200

Processor Options¹
v5 Family; Intel Turbo Boost technology(5) and Intel Integrated HD Graphics on select Processors; optional

vPro™ Technology

Windows® 10 Professional (64 bit) Windows® 10 Home (64 bit)

Windows® 8.1 Professional (64-Bit) (w/6th Gen Intel CPU) Windows® 8.1 Home (64 bit) (w/6th Gen Intel CPU) Windows® 7 Professional (32-bit) (w/6th Gen Intel CPU) Windows® 7 Professional (64-Bit) (w/ 6th Gen Intel CPU

Red Hat[®] Enterprise Linux[®] 7.2 (w/ 6th Gen Intel CPU) Red Hat[®] Enterprise Linux[®] 7.3

Ubuntu Linux 14.04 (w/ 6th Gen Intel CPU) Ubuntu Linux 16.04 (w/ 7th Gen Intel CPU)

NeoKylin 6.0 SP2 (China only) (w/ 6th Gen Intel CPU) NeoKylin 6.0 SP3 (China only) (w/ 7th Gen Intel CPU)

Chipset Intel® C236 Chipset

Operating System Options²

Graphics Options³

Storage Options⁴

Communications

Memory Options³ 4 Dimm Slots; Up to 64GB 2400Mhz Non-ECC & ECC DDR4 Memory (2400Mhz memory clocks down to

2133Mhz when paired with 6th Gen Intel Processors)

One PCI Express® x16 Gen 3 Graphics card up to 50W

Entry 3D cards: AMD FirePro W4100 AMD FirePro W2100 NVIDIA Quadro K1200 NVIDIA Quadro K620 NVIDIA Quadro K420

Professional 2D cards:

NVIDIA NVS 510

NVIDIA NVS 315 & Dual 315

NVIDIA NVS 310

Intel HD Graphics 530/P530 (w/ 6th Gen Intel CPU) Intel HD Graphics 630/P630 (w/7th Gen Intel CPU)

Support for up to (1) M.2 PCIe SSD and Up to (1) 3.5" SATA or (2) 2.5" SATA. Support for Intel Ready Mode

technology

Support for up to (1) additional PCIe SSD on Dell Precision Ultra-Speed drive (x8) with active cooling

M.2 PCIe SSD (NVMe) Up to (1) 1TB on M/B

Up to (1) 1TB on Dell Precision Ultra-Speed drive

2.5" SATA SSD Up to (2) 512GB 2.5" SATA 7200 RPM

Up to (2) 1TB 7200 RPM

3.5" SATA

Up to (1) 4TB 5400 RPM Up to (1) 2TB 7200 RPM **Self Encrypting Drives** 500 GB 7200 RPM or 512GB 2.5" SSD

Storage Controller Integrated: Intel Rapid storage Controller 12.0 supporting SATA 6Gb/s and host based RAID 0/1

Integrated: Intel Ethernet Connection I219-LM 10/100/1000
Optional: Intel 10/100/1000 PCIe Gigabit Networking card
Optional: Intel Wireless 802.11ac card (No Bluetooth)

Audio Controller Integrated Realtek ALC3234 High Definition Audio Codec (2 Channel)

Speakers Internal Speaker; Optional Dell 2.0 stereo speaker systems available and Dell sound bar for select flat-panel

displays

Optional Thunderbolt 2 PCle Card

Optional 1394 a/b PCle Card (3 Ports – 2x 1394b + 1x 1394a)

Add-in cards Support for up to (1) additional PCIe SSD on Dell Precision Ultra-Speed drive (x8) with active cooling

Optional Serial Port PCle Card Optional Parallel Port PCle Card

Feature Precision Tower 3000 Series (3420) Technical Specifications

Front

2 - USB 2.0

2 - USB 3.0

1 – Universal Audio Jack

1 – Internal SD Card reader (Optional)

Internal

3 - SATA 6Gb/s

Rear

I/O Ports 2 - USB 2.0

> 4 - USB 3.0 2 - PS2

2 - DisplayPort

1 – HDMI

1 - RJ45 Network Connector

1 - Serial

1 – Audio Line out

1 - VGA Connector (Optional)

HxWxD: 11.42" x 3.65" x 11.5" (29cm x 9.26cm x 29.2cm)

Bays: (1) internal 3.5" bay - supports (1) 3.5" or (2) 2.5" drives; (1) external slimline optical bay

Slots: (1) half height PCIe x16 Gen3; (1) half height PCIe x4 Gen 3; (1) M.2 (22x80mm)

Power Supply: 240W 92% efficient PSU (80PLUS Platinum Certified) Energy Star Compliant;

180W 85% efficient PSU (80PLUS Bronze Certified) Energy Star Compliant

Storage devices Optional: 1 Slim optical drive: DVD-ROM; DVD+/-RW; Blu Ray Writer; Optional Internal SD Card reader

> Trusted Platform Module⁶ TPM 1.2/2.0, Dell Data Protection| Security Tools, Dell Data Protection| Encryption, Dell HW Crypto Accelerator, Microsoft Windows Bitlocker, Local HDD data wipe via BIOS ("Secure Erase"), Encryption - SED HDD (Opal FIPS), Chassis lock slot support, Lockable Port Cover, Chassis Intrusion Switch, D-Pedigree (Secure Supply Chain Functionality), Setup/BIOS Password, Optional Smart Card keyboards, Intel® Trusted Execution Technology, Intel® Identity Protection Technology, Dell Secure Works, BIOS support optional

Computrace7, Intel Software Guard extensions

Dell Client Command Suite; Out of Band management support via vPro Systems Management⁶

ENERGY STAR® configurations available including 80 PLUS® Platinum power supplies; EPEAT® registered (see Regulatory & Environmental epeat.net for specific registration rating/status by country); China CECP; GS Mark. For a complete listing of declarations & certifications, see Dell's regulatory & compliance homepage at dell com/regulatory_compliance

> 3-Year Limited Hardware Warranty and 3-year NBD On-Site Service after Remote Diagnosis Optional: Dell ProSupport is designed to rapidly respond to your business's needs, help protect your investment

and sensitive data and provide enhanced proactive support services to help reduce risk and complexity within

your IT environment

Security Options⁵

Chassis

Warranty & Support Services⁷

Some options available only in select regions; ISV certification applies to select configurations:

- 1 Intel Turbo Boost mode only available on Xeon, Core i7 and Core i5 processors. Intel Integrated HD graphics only available with select processors.
- ²A 64-bit operating system is required to support 4GB or more of system memory.
- ³ GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- ⁴GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors
- ⁵ Computrace is not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.
- 6 Systems Management Options:Intel® vPro Technology Fully vPro-capable at point of purchase; the vPro systems management option requires vPro processors. Includes support for Intel Advanced Management Technology (AMT) 9.x. Intel® Standard Manageability - Fully enabled at point of purchase, the Intel Standard Management option is a subset of the AMT features. ISM is not upgradeable to vPro technology post-purchase. No Out-of-Band Systems Management - This option entirely removes Intel out of band systems (OOB) management features. The system can still support in band management. OOB management support through AMT cannot be upgraded post-purchase.
- Availability and terms of Dell Services vary by region. For more information, visit Dell.com/servicecontracts/global; Limited Hardware Warranty available by writing Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty; Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

Copyright 2015 Dell Inc. All rights reserved. Venue is a trademark of Dell Inc. Intel and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States of America and other countries. Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation in the U.S. and other countries. Other trademarks or trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Reproduction in any manner whatsoever without express written permission from Dell Inc. is strictly forbidden.

Essential Accessories

DELL PRECISION TOWER 3000 SERIES (3420)



Dell 24 Ultra HD 4K Monitor | P2415Q



Dell Wireless Keyboard & Mouse – KM714



Dell Dual Monitor Stand



Workstation performance and reliability in a space saving small form factor.

DELL PRECISION TOWER 3000 SERIES (3420)